5. After conclusion of the sale, each purchaser shall pay 10 per cent of the amount in cash to the officer conducting the sale and obtain in return from him a receipt, vouching for the payment of the one-tenth value as well as the initial deposit of Rs. 200. Should any purchaser fail to comply with this rule, the initial deposit of Rs. 200 shall at once be forfeited to Government and the officer conducting the sale shall be at liberty to re-sell the timber purchased by such defaulter, who shall be required to make good any loss, but shall not participate in any profit from such re-sale. The amount due by such defaulter, on account of loss from re-sale, shall be recovered from him as a revenue demand under Section 79 of the Mysore Forest Regulation. In calculating such losses, the initial deposit forfeited to Government shall not be taken into account.

In cases of re-sales for default of payment of value, where no bidders are forthcoming, it will be open to the District Forest Officer to fix such price as may appear to him reasonable, and to proceed for the recovery from the defaulter of the balance, if any, after deducting the price so fixed from the original sale amount. A registered notice should be issued to the defaulter, intimating the price fixed by the District Forest Officer for the unsold wood, and the amount still due from him which will be recovered as arrears of land revenue.

6. The deposits tendered by the unsuccessful bidders shall be returned immediately after the sales are concluded, those of the successful bidders being lodged in the Savings Bank as security deposit.

7. The full value of all timber purchased shall be paid for within thirty days after the date of sale or within fifteen days after the date of notice of confirmation of the sale, whichever is later. In case of purchases of above Rs. 1,000 in value, the purchaser shall be permitted to pay up the balance in instalments of not less than Rs. 1,000 provided, the full value is paid not later than the 15th March 1938. The money shall be paid into such treasury as the District Forest Officer may direct, within the time specified.

8. If the amount is not fully paid for by the purchaser before the dates fixed above, the initial deposit as well as the other moneys already paid in shall be forfeited to Government and all or any portion of the timber not fully paid for shall be resold at the risk of the purchaser, in the manner prescribed, for default of payment of one-tenth value in clause 5 *supra*.

9. No timber lot shall be permitted to be removed by the purchaser unless it has been paid for in full, calculated at the rates at which the timber is knocked down to him at the time of sale, excluding the 10 per cent deposit paid for the lot at the time of the sale; and no timber shall be removed from the depot unless a permit is obtained from the Forest Officer in charge of the depot. The earnest money will not be adjusted towards the value of timber until 90 per cent of the purchase money over and above the security deposit has been paid. Interest at 6¼ per cent per annum will be levied on all arrears of amount permitted to be paid after the due dates.

10. Timber purchased should be removed as early as possible, and in no case should it be allowed to remain longer than 90 days after the dates fixed in clause 7 *supra*. Timber not removed after purchase will remain in the depot at the risk of the purchaser from the date of the confirmation of the sale.

11. If the timber is not removed within the time allowed, the same may, after ten days' notice to the purchaser, be sold in public auction and the proceeds will be given to the purchaser after defraying all the expenses in connection with the resale.

12. The deposit of Rs. 200 will remain as security for the due fulfilment of all and every one of the terms of sale, on the breach of any of which by the purchaser, the District Forest Officer shall be entitled to forfeit the deposit in whole or in part and in the event of such forfeiture, the sum so forfeited shall be immediately made good by the purchaser so long as the transaction is not finally closed. The security deposit or the balance thereof, if any, shall be returned to the purchaser after the full value of timber purchased has been paid for and the timber fully removed.

M. A. MUTHANNA,
District Forest Officer.

ENGINEERING DEPARTMENT

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Notification dated 8th November 1937.

Notice is hereby given that sealed tenders will be received from the licensed Plumbers at the office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 27th November 1937, for the labour portion of the work of laying pipe line for the distribution system for Hassan Town Water Supply. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of March 1938.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office, between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 540 in cash (no cheques will be accepted) as earnest money, and be superscribed, "Tender for the labour portion of the work of laying pipe line for the distribution system for Hassan Town Water Supply, in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Public Health will be final and legally binding.

Estimate of the approximate quantities for labour portion of the work of laying pipe lines for the distribution system for Hassan Town Water Supply.

No.	Particulars	Unit	Quantity
1	Constructing stone platforms for the public fountains and fixing of cocks, etc., as per type design	No.	40
2	Earthwork excavation for pipe trench refilling and watering and tamping, etc., complete after laying C.I. pipes	C.yd.	4,590
3	(*a*) Laying and lead jointing 5" C.I. pipes	No.	393
	(*b*) Do 6" C.I. pipes	,,	393
	(*c*) Do 7" C.I. pipes	,,	393
	(*d*) Do 4" C.I. pipes	,,	227
	(*e*) Do 3" C.I. pipes	,,	771
4	(*a*) Laying and jointing 2" G.I. pipes including earthwork excavating trench, cuts and threading, refilling and watering, etc., complete.	R.ft.	5,980
	(*b*) Do 1½" G.I. pipes do	,,	19,570
	(*c*) Do 1" G.I. pipes do	,,	10,460
	(*d*) Do ¾" G.I. pipes do	,,	2,000
5	Constructing valve cisterns 3'×3'×3' as per type design	No.	13
6	Constructing gland cock cistern	,,	36
7	Unloading from the Railway Wagons, carting and stacking the 5", 4" and 3" C.I. pipes along the proposed line in heaps of 10 each at 12 feet apart	Cwt.	2,104
8	1½" Main bore	No.	20

N.B.—The decision of using 5" or 6" or 7" C.I. pipes will be settled during the time of execution. So the rates for lead jointing for all the 5", 6" and 7" C.I. pipes are called for.

Notification dated 9th November 1937.

Notice is hereby given that sealed tenders will be received at the office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 27th November 1937, for the work of providing sanitary installation to the Civil Hospital at Chintamani. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of January 1938.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 142 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for the work of providing sanitary installation to the Civil Hospital at Chintamani, in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Public Health will be final and legally binding.

Providing Sanitary Fittings in the Women's Hospital at Chintamani.

No.	Particulars	Unit	Quantity
	LABOUR.—SOIL AND WASTE CONNECTION.		
1	Providing 4" C.I. soil pipe, with specials, such as bends, off sets and junctions, laying and jointing with leads complete	Rft.	60
2	Do do 3" as above	"	18
3	Providing and fixing 3" C.I. nahni trap, constructing cistern and fixing grating	Each	4
4	Providing lime mortar concrete to H. C. Pan and trap and cement plastering to H. C. Compartments	"	4
5	Wall bore and redoing in cement mortar	"	8
6	Fixing H. C. complete set	"	6
7	Providing and fixing 4" zinc ornamental cowel	"	2
8	Painting white enamel to C. I and all pipe fittings	Rft.	6
9	Painting soil and vent pipe	"	2
10	Constructing ground sink in cement concrete and cement plastering	"	2
11	Providing ½" lead pipe bending and fixing and making wiper solder joints	"	10
12	Do do 1½" do	"	2
13	Providing and fixing ½" N. P. stop cock	"	6
14	Do do bib cock	"	2
15	Water connection from terrace storage tank with ½" galvanised pipe and fittings wall bore wall grooving and redoing, laying and jointing complete	"	1
16	Cornice bore and redoing	"	2

Providing sanitary fittings in the Operation Ward, Civil Hospital, Chintamani.

No.	Particulars	Unit	Quantity
	SOIL AND WASTE CONNECTIONS.		
1	Providing 3" C.I. trap fixing and constructing cement concrete cistern with grating	Each.	2
2	Providing 3" C.I. soil pipe with specials, laying and jointing complete	R.ft.	12
3	Fixing lavatory set complete	Each	1
4	Do do elbow action lavatory	"	1
5	Painting white enamel to C. I. and pipe fittings	"	2
6	Wall bore and re-doing	"	2
7	Providing ½" lead pipe bending and fixing and making lead wiped solder joints	"	3
8	Do do 1½" do	"	2
9	Providing and fixing white glazed tiles above lavatory	S.ft.	4
10	Providing and fixing white glazed ½" N. P. stop cock	Each	2
11	Fixing accessories	"	4

Providing sanitary fittings in the Men's Ward in the Civil Hospital, Chintamani.

No.	Particulars	Unit	Quantity
	SOIL AND WASTE CONNECTIONS.		
1	Providing 4" C.I. soil pipe with specials such as bends off sets and junctions, laying and jointing with lead complete	R.ft.	40
2	Do do 3" do	"	10
3	Providing and fixing 3" C.I. Nahni trap, constructing cistern and fixing grating	Each	2
4	Providing lime mortar concrete to H. C. pan and trap and cement plastering to H. C. compartments	"	2
5	Wall bore and re-doing in cement mortar	"	4
6	Fixing H. C. and lavatories complete set	"	3
7	Providing and fixing 4" zinc ornamental cowel	"	1
8	Painting white enamel to C. I. and pipe fittings	"	3
9	Painting soil and vent pipe	"	1
10	Constructing grounds sink in cement concrete and cement plastering.	"	1
11	Providing ¾" lead pipe bending and fixing and making wiped solder joints	"	5
12	Do. do 1½" do	"	1
13	Providing and fixing ½" N. P. stop cock	"	3
14	Do do bib cock	"	1
15	Water connection from terrace storage tank with ¾" galvanised pipe and fittings, wall bore, wall grooving and re-doing, laying and jointing complete	"	4
16	Cornice bore and re-doing	"	1

Providing water supply arrangements in the Civil Hospital at Chintamani.

No.	Particulars	Unit	Quantity
1	Providing 4'×4'×4' galvanised iron tank, with 15" diameter opening at centre, hoisting and fixing with necessary girder supports and making holes for inlet and outlet connection, etc., complete.	Each	4
2	Providing 1" G. M. gland cock and fixing	"	7
3	Providing and fixing 1" ball valve	"	2
4	Providing 1" galvanised pipe with fittings, cuts and threads, laying and jointing, earthwork excavation, etc., complete.	R.ft.	600
5	Providing and fixing 1" semi rotary pump	Each	2

Providing drainage arrangements to the sanitary fittings in the several wards of the Civil Hospital at Chintamani.

No.	Particulars	Unit	Quantity
1	Providing 6″ S.W. pipe, laying and jointing in cement mortar, earth-work excavation and refilling and carting surplus earth ..	R.ft.	560
2	Do 4″ pipe as above	,,	140
3	Providing 6″×4″ S.W. gully trap with grating, constructing cistern in cement mortar and fixing of gully trap	Each	7
4	Providing and fixing 12″×9″ C.I. hinged lid and frame	,,	7
5	Constructing man-hole 3′ dia. inside, with 9″ cement concrete bed, brick in cement mortar 9″ thick wall, cement plastering, making drains. Providing and fixing 21″ dia. C.I. man-hole cover and frame, complete, up to 4′ depth	,,	8
6	Constructing septic tank 6′×4′×6′ from inlet in cement mortar, with inlet and outlet connection, covering slab and providing and fixing 21″ dia. C.I. man-hole cover and frame	,,	1
7	Excavating soakage pit of 12′×4′×9′ inside, rough stone revetment all round filling jelly of different size of about 2′, covering slab and carting earth, etc., complete	,,	1

N. KRISHNIENGAR,
Sanitary Engineer.

BUILDINGS DIVISION, BANGALORE.

Notification dated 13th November 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, Bangalore, up to 27th November 1937, for constructing the first floor of Mysore Chamber of Commerce building, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1938.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office, Buildings Division, Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed :—

4. Each tender must be accompanied by a deposit of Rs. 1,040 in cash, or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing the first floor of Mysore Chamber of Commerce building, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enahanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department, or those fixed by the Executive Engineer, after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements and quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures. And they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than the estimated rate will not be accepted.

Abstract estimate for constructing first floor of Chamber of Commerce Building at Bangalore.

Item No.	Description of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
1	Archivolo to the arches of verandah in the ground floor	R.ft.	0 4 0	120	
2	Beading above the arches of verandah, 3″ above crown moulding	,,	0 2 0	106	
3	Burnt brick in lime mortar	C.ft.	0 5 0	12,720	
4	Wire cut brick in mortar	,,	0 10 0	1,140	
5	Burnt stone slabs 6″ thick, one line dressed and fixed	S.ft.	0 6 0	1,374	
6	Plastering with chunam mortar	Sqr.	3 8 0	214·76	
7	Whitewashing, two coats	,,	0 4 0	165·38	
8	Colourwashing, two coats	,,	0 5 0	49·38	
9	Tested rolled steel girders as per B.S.S. including lifting and hoisting and boxing with cement mortar and terrace bricks reinforced with galvanised steel texnet tied all round with one coat of anticorrosive paint and fixing in cement concrete	Cwt.	11 0 0	172·93	
10	Teakwood plank 1½″ thick flooring over and including T.W. joists of 2½″×4½″ at 1½′ apart for the stairs room with required painting, etc., complete	Sqr.	75 0 0	1·28	
11	Removing the old plaster on top of present roofing and laying with an extra floor finish of 1½″ on top with red cement cut to design of tiles with an expansion joint where necessary and laid to proper slope for washing on a levelling course of surki concrete 2″ to 3″ thick ..	,,	20 0 0	54·23	
12	Teakwood newel stair case 12″ tread, 6″ rise on cut stringers with platforms, width of steps 4½′ including ceiling with ¾″ thick planks, etc., complete with Dulex Varnish two coats for ceiling.	Tread of visible area per S.ft.	2 8 0	207	
13	Teakwood hand railing with turned balustrades with top and bottom rails 3″×5″ including Dulux Varnish for balusters and Duco Varnish for hand railings	R.ft.	2 4 0	70	
14	Plain parapet wall between pillars as per design, 3′ high, 9″ thick including plastering, etc., complete	,,	1 0 0	51	
15	Baistrated parapet wall between pillars as per design, 3 ft. high ..	,,	2 0 0	64	
16	Roofing with reinforced concrete 1:2:4 6″ thick to take a super load of 80 lbs and with an expansion joint where necessary and laid to proper slope for drainage on camber pieces over girders and with ceiling plastered with finely ground lime mortar as per design with coving and off sets and with surkhi mortar concrete 4″ thick with two courses of flat tiles plastered smooth	Sqr.	80 0 0	66·78	
17	Cornice 12″ deep and 10″ projectors around roof level as per design	R.ft.	1 0 0	220	
18	Plain cornice 3″, projectors 6″ deep as per design	,,	0 6 0	232	
19	Plain parapet wall above roof level 2½′ to 3′ high, 9″ thick with plastering and colour washing, etc., complete	,,	1 2 0	346	

Item No.	Description of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
20	Balustrated parapet wall over roof level as per design, 3 ft. high	R. ft.	2 0 0	106	
21	Moulding caps of pillars and semi pillars as per design	Each	2 0 0	26	
22	Moulding of bases for pillars and semi pillars as per design	"	1 0 0	26	
23	Teakwood doors with frames 3″×5″ without bottem cills having $\frac{1}{3}$ panelled and $\frac{2}{3}$ glazed (translucent thick) $1\frac{1}{2}$″ thick shutters including Acme brass fittings, Rim door locks with handles, 3 finger plates 12″×4″ as per design, Six 6 inches brass hinges, two six inches hooks brass screws, barrel bolts of suitable size, etc., including dulux water proof varnish, two coats and T.W. perforated ventilators, it any, above as per design	S.ft.	1 12 0	480	
24	Teakwood windows 3″×5″ frame work with $1\frac{1}{2}$″ thick glazed shutters opening outside in four halves with ventilators at top including iron bars $\frac{3}{4}$″ dia. 4″ apart brass hinge, brass hooks, 2″ rings and casement adjusting stays, etc., including two coats of dulux varnish	"	2 0 0	645	
25	Cement perforated ventilators as per design to be furnished $1\frac{1}{2}$″ thick with 2″ thick, 2″ wide alround 1% reinforcement neatly finished with splayed front beads in relief	"	1 0 0	435	
26	Moulding Letters "Chamber of Commerce."	Each	0 3 0	17	
27	C.I. Rain water down pipes of 3″×4″ with bends, etc., complete	R.ft.	2 0 0	500	

Notification dated 13th November 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 29th November 1937, for improving the Union Building in the compound of Intermediate College, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1938.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Buildings Division, Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 300 in cash or Government Promissory Notes as earnest money, and be superscribed "Tender for improving the Union Building in the compound of Intermediate College, Bangalore. in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for improving the Union Building in the compound of the Intermediate College, Bangalore.

Item Nos.	Description of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
1	Removing mortar band and clearing debris.	C.ft.	0 0 6	160	
2	Removing Ridge tiles and stacking	R.ft.	0 0 3	214	
3	Removing Mangalore tiles, repairing and stacking	Sqr.	1 0 0	58·64	
4	Do Valley planks, etc.	S.ft.	0 0 3	214	
5	Do Rafters, etc.	R.ft.	0 1 0	2,863	
6	Lowering and stacking ring rod trusses	Each	2 0 0	14	
7	Removing and stacking wall plates	R.ft.	0 0 9	351	
8	Raising wall with brick in mortar	C.ft.	0 4 6	2,764	
9	E.W. Excavation	C.yd.	0 3 0	61	
10	Stone jelly concrete in lime mortar 1 : 2	C.ft.	0 3 6	381	
11	Size stone in mud for foundation and basement (hammer dressed) in courses not less than 6″ high with through bond stones 6′ apart	,,	0 3 6	1,342	
12	B.S. slabs 6″ thick one line dressed on exposed faces and fixed in mortar	S.ft.	0 6 0	309	
13	Cut stone pillars 8′ high, 9″ Sqr. with base and capital as per design to be given and fixing	Each	20 0 0	26	
14	Removing B.S. slab steps and stacking	S.ft.	0 0 6	48	
15	Supplying and hoisting and fixing Tatas Tested R.S. Girders 3″×5″	Cwt.	14 0 0	41·25	
16	Levelling wall of verandah for laying R.C. slab by dismantling some portion and raising some portion of wall in brick in mortar	R.ft.	0 3 0	206	
17	B.S. slabs 3″ thick, one line dressed and fixed for bed slabs of R.C.C. slab	S.ft.	0 4 0	206	
18	Roofing with R.C.C. 5½″ thick 1 : 2 : 4 with bottom ceiling and 3″ to 5″ of surki concrete above and two courses of flat tiles and ½″ lime mortar plaster complete	Sqr.	70 0 0	25·20	
19	Plain cornice with brick in mortar (¾×½) including plastering and white washing, complete	R.ft.	0 6 0	206	
20	Plain parapet of brick in mortar including lime mortar plastering and white or colour washing complete 9″×1½′	,,	0 12 0	206	
21	Hoisting and fixing wall plates	,,	0 1 0	351	
22	Removing and refixing bed plates of trusses	S.ft.	0 2 0	95	
23	Hoisting and fixing king rod trusses	Each	2 8 0	14	
24	Do Rafters, etc.	R.ft.	0 1 3	2,863	
25	Do Valley planks, etc.	S.ft.	0 0 6	216	
26	Roofing with old Mangalore tiles on old reepers	Sqr.	1 8 0	58·64	
27	Fixing old ridge tiles in mortar	R.ft.	0 1 0	214	
28	Lime mortar plastering	Sqr.	3 4 0	49·06	

Item No.	Description of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
29	Flooring with 1½″ cement sand and ½″ jelly concrete 1 : 2 : 4 over 3″ granite jelly lime mortar concrete 1 : 2 with 1½″ red cement plaster at top	Sqr.	22 0 0	17·51	
30	White washing	,,	0 4 0	17·51	
31	B.S. slabs 6″ thick, two lines dressed and fixed in mortar for steps	S.ft.	0 6 0	180	
32	Cement pointing to basement	Sqr.	3 8 0	4·12	
33	Zinc down water pipes complete, supplying and fixing	R.ft.	0 10 0	180	
34	Raising parapet wall in pedimental shape.	Each.	5 0 0	4	
35	Mortar band complete	R.ft.	0 4 0	160	
36	Introducing glazed, ventilators—				
	(*a*) Dismantling brick in mortar	C.ft.	0 0 6	394	
	(*b*) Supplying and fixing B.S. slabs 6″ thick bottom one line dressed lintels ..	S.ft.	0 6 0	181	
	(*c*) Preparing and fixing glazed ventilators (rectangular)	,,	0 14 0	126	
	(*d*) Do circular	,,	1 0 0	27	
37	Wood oiling to wood work	Sqr.	1 8 0	28·15	
38	Fixing B.S. slabs 3″ thick at the bottom of down water pipes	S.ft.	0 3 0	108	
39	Boxing girders complete	R.ft.	0 6 0	206	

Notification dated 15th November 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 1st December 1937 (2 P.M.), for proposed additions and alterations to the Pathological block in the compound of Victoria Hospital, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of March 1938.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office, Buildings Division, between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 380 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for proposed additions and alterations to the Pathological block in the compound of Victoria Hospital, Bangalore," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. Transfer of works to the third parties by selected contractors will not be countenanced by the Department and in the case of any such attempt the earnest money is liable to be forfeited at the discretion of the Executive Engineer.

Abstract estimate of cost of the proposed additions and alterations to the Pathological Block in the compound of Victoria Hospital, Bangalore.

No.	Description of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Earthwork excavation and filling in basement with watering and tamping	C.yd.	0 4 0	130	
2	Sand piling the foundation with iron piles 3″ diameter to an average depth of 2 feet	Sqr.	3 0 0	811	
3	Filling in large pockets with sand and boulders with lead including watering and packing	100 C.ft.	6 0 0	540	
4	Burnt granite jelly concrete in lime mortar for the foundation laid in 6″ layers and consolidation	C.ft.	0 4 0	1,400	
5	Burnt size stone in clay with through bond stones 6″ apart with neat clear joints for the foundation	,,	0 3 0	1,098	
6	Burnt size stone in clay with through bond stones 6′ apart, quoin dressing with neat clear joints for basement	,,	0 3 6	556	
7	Burnt stone slabs 6″ thick exposed faces 2 line dressed bed and joints 1 line dressed laid over mortar bed	S.ft.	0 7 0	370	
8	Burnt size stones in clay with through bond stones 6′ apart quoin dressing, with neat clear joints in superstructure	C.ft.	0 4 6	2,347	
9	Burnt stone slabs 6″ thick roughly dressed and fixed in lime mortar with 2 line dressing to exposed portions and cut to required curve shape wherever necessary with clear neat joints	S.ft.	0 6 0	261	
10	Providing cut stone ornamental base and capital slabs for pillasters as per approved design	No.	0 5 0	4	
11	Wire cut bricks in lime mortar for circular pillars with an average diameter of 1½′ and 12′ high with ornamental base and capitals finished with cement plastering to required shape, etc., as per design Or	,,	25 0 0	4	
	Supplying, hoisting and fixing cut stone circular pillars as per design 15″ dia. at bottom 14″ at top, 12′ high single shaft with ornamental base and capital fixed in cement mortar with gun metal dowels			4	
12	R.C.C. cantilever chejja cornice (1 : 2 : 4) 4½″ thick exposed faces finished with lime mortar plastering and cement rendering with necessary cornice beading, throating, etc., complete as per design with necessary reinforcements	Sqr.	60 0 0	4.68	
(a)	R.C.C. chejja cornice (1 : 2 : 4), 4″ thick with 4′ projection beyond face of wall with boring holes at ends in old stone wall and re-doing and casting inverted T. beam and slab in situ exposed faces finished with lime mortar and plastering and cement rendering with cornice beading, throating, etc., complete as per design		75 0 0	1.68	
13	Supplying, hoisting and fixing Tatas tested rolled steel beams and joists with a prime coat of cement wash with necessary bolts and nuts connection, fish plates, etc., complete	Cwts.	13 0 0	30	

No.	Description of work	Unit	Rate Rs. a. p.	Quantity	Cost Rs.
14	Roofing with precast patent hollow bricks in cement mortar (of Standard Files and Clay Works) with necessary rein forcements in each course as per specification for spans of 12′ to 16′ with ceiling plaster at bottom with coving 2″ of C.C. at top and 3″ surki concrete and 2 courses of flat tiles at top and finished with mortar plaster to proper stop	Sqr.	85 0 0	14·06	
15	Preparing and fixing new teakwood windows with frames 3½″×5″ with glazed shutters in 4 halves bottom shutters with pin headed glasses with iron parlimentary hinges and all brass fittings	S.ft.	1 14 0	48	
(a)	Preparing and fixing new T. W. windows with frames 4″×6″ with ⅛″ thick plain glass single sheet panels in teak frames 2¾′ in high of two shutters for sliding with arrangements of sliding with iron pulleys, steel wires, etc., and 1¼″ thick panelled shutters in 4 halves for exterior as per design with iron hinges and brass fittings, etc., complete	S.ft.	3 8 0	308	
(b)	Preparing and fixing new Teakwood ventilators in teak frame 3″×4″ with 1¾″ thick glazed shutters and expanded metal fitted outside with teak patti frame	S.ft.	1 4 0	88	
16	Preparing and fixing new teakwood doors with frames 3½″×5″ shutters 1½″ thick fully panelled as per design with brass parlimentary hinges and brass fittings complete	S.ft.	1 12 0	256	
17	Providing and fixing burnt stone precize slab in cement mortar 4″ thick 1′ deep with exposed faces 2 line dressed with necessary dowels in rear fixed in led	R.ft.	1 0 0	30	
18	Providing and fixing cut stone string course 8″ thick dressed to required shape as per design and fixed in lime mortar	R.ft.	1 8 0	124	
19	Parapet wall as per approved design with size stone in mortar 1½′×2′ with blocking course 9″ deep and coping slab 4″ thick exposed faces two lines dressed and laid in lime mortar at top with cement pointing with cut lines with white mixed cement to both the interior and exterior faces	R.ft.	2 8 0	73	
20	Parapet wall with R.C.C. perforated panels as per design with stone in lime mortar blocking course at bottom 1⅝″×¾″ and coping slab at top 4″ thick exposed faces 2 lines dressed and fixed in lime mortar with intermediate pillars with stone in lime mortar and cement pointing to both the interior and exterior faces		3 8 0	51	
21	Plastering with lime mortar 3 coats to stone masonry wall after raking joints ¾″ deep and finished smooth with rounding cornices, coving, etc., complete and curving	Sqr.	5 0 0	23·28	
(a)	Plastering with 3 coats of lime mortar with an additional coat of composite mortar after chiselling the cement pointing of old wall and finished smooth with rounding corners, etc.	Sqr.	7 8 0	3·59	
22	Cement pointing to stone masonry wall with white mixed cement with cut lines after raking joints ¾″ deep	Sqr.	3 0 0	21·25	

No.	Description of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
23	Varnishing with Dulex varnish 2 coats to doors and windows	Sqr.	6 0 0	11.95	
24	Painting 2 coats with green paint of Government Lac Factory.	"	4 0 0	5.65	
25	Boxing girders with cement concrete and finished smooth with lime mortar plastering and white washing	C.ft.	0 12 0	56	
26	White washing 2 coats	Sqr.	0 4 0	32.00	
27	Jensolin, Distemper wash 2 coats of approved colour	"	0 12 0	32.00	
28	Providing polished granite slab benches 3" thick with intermediate supports of ∠ iron brackets fixed in wall at every 2'	S.ft.	2 8 0	231	
29	Dismantling terrace and providing sky lights as per design in existing structure with thick plate glass and exmet at top	S.ft.	5 0 0	18	
30	Flooring with cement concrete 1½" thick (1 : 2 : 4) over 3" lime mortar concrete and top finished smooth with ½" red cement plaster	Sqr.	25 0 0	12.90	
31	Cut stone steps fixed in lime mortar with cement pointing	S.ft.	0 9 0	112	
(a)	Cement ballustrated low parapet wall in verandah with blocking course at bottom 2 line dressed at top, finished to required shape as per design with cement pointing, etc.	R.ft.	4 0 0	20	
32	Minor alterations required in the existing structure	L. S.			

B. R. GARUDACHAR,
Executive Engineer.

KOLAR DIVISION.

Abstract Notification, dated 29th October 1937.

The attention of the public is invited to the Notification on pages 1870-1873, Part VI, of the *Mysore Gazette*, dated 11th November 1937, inviting tenders for the work of Restoring Nagapur Minor Tank Register No. 281 of Malur Taluk.

The last date fixed for the receipt of tender in this office is 12 noon on 25th November 1937.

Notification dated 7th November 1937.

1. Sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 12 NOON on 6th December 1937, for filling up the breach and extending the weir on left side to Bhatrahalli Doddakere Register No. 69, Serial No. 279 of Mulbagal Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Kolar Division, should be addressed to the Executive Engineer, Kolar Division, in a sealed cover and superscribed as "Tender for filling up the breach and extending the weir on the left to Bhatrahalli Doddakere Register No. 69, Serial No. 279 of Mulbagal Taluk." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a treasury chellan for earnest money of Rs. 150 paid to the treasury to the credit of 17 (a) Public Works Deposits against the account of the Executive Engineer, Kolar Division. The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 6th December 1937 at Kolar Division. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever, for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office, in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental schedule contract form for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay specifications (1931) and also furnish a security deposit of Rs. 300.

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force, will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Kolar Division, on all working days, between 11 A.M. and 5 P.M.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer, on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions, or additions at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of June 1938 failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 5 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(*a*) The contractor should at his own cost,—

(1) Provide rods, stakes, ropes and labour required in setting out the works.
(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.
(3) Provide mortar mills and sheds, to keep materials under cover and also for workmen.
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.
(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.

(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.

(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.

(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by Insurance at the proper time.

Note.—(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Abstract estimate for filling up the breach and extending the weir on the Left to Bhatrahalli Doddakere Taluk Register No. 69—S. No. 279 of Mulbagal Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
					Rs. a. p.
	I. Bund at R. L. 55·00.				
			Rs. a. p.		
1	Cutting grips and trenches on slopes of bund	Grade	3 0 0	14	
2	Clearing thick jungle and removing ant hills, etc.	,,	0 8 0	14	
3	Earthwork to bund with consolidation, etc.	C.yds.	0 4 0	1,826	
4	New stone work	,,	1 12 0	157	
5	Turfing front and rear slopes	S.yds.	0 0 9	3,986	
6	Removing and refixing grade stones including carving figures and painting	Each	1 0 0	15	
7	Do do Register No. stones	,,	1 0 0	1	
8	Providing new B. M. stones including cutting figures and fixing	,,	2 0 0	2	
9	Do weir gauge stone	,,	15 0 0	1	
	Total for bund rupees				..
	II. Breach filling.				
1	Clearing silt and using the same for rear slope of bund	C.yds.	0 4 0	634	
2	Cutting grips and steps on slopes of bund at sides	,,	0 2 0	110	
3	Earthwork to breach with ½ gravel ½ clay soil mixed including ¼ mile lead for gravel	,,	0 6 0	1,430	
4	New stone work as per statement	,,	1 12 0	200	
5	Removing boulders and stuck up in slush with a lead of 100' to 200' and stocking as per above deductions	,,	0 6 0	20	
6	Reconstructing old stone work with new jelly	,,	0 12 0	20	
7	Turfing front and rear slopes	S.yds.	0 0 9	211	
	Total for breach filling rupees				..
	III. Extending the weir on the Left side (Hard gravel and Chettu soil).				
1	Approach clearing and draft	S.yds.	0 4 6	593	
2	New stone work for revetting side at right wing	C.ft.	0 5 0	177	
3	Behind the bund	C.yds.	1 12 0	20	
4	Burnt stone slabs 6" thick	S.ft.	0 5 0	71	
5	Excavating foundation for revetment	L. S.	Rs.	..	
	Total for extending the weir rupees				..

S.No.	Items of work	Unit	Rate.	Quantity	Cost
			Rs. a. p.		Rs. a. p.
	IV. Repairs to Leaky sluice.				
1	Cut opening the bund for examining the leaks	C.yd.	0 4 0	120	
2	Dismantling and reconstructing revetment	,,	1 0 0	8	
3	New stone work	,,	1 12 0	2	
4	Examining and closing leak in barrel with necessary materials	R.ft.	4 0 0	36	
5	Providing and fixing plug and iron rod with locking arrangements	Each	15 0 0	1	
6	Refilling the earth with watering and consolidation.	C.yds.	0 2 0	132	
	Total for sluice rupees				
	V. Repairing the Right Weir 72' long.				
1	Removing and refixing coping slabs in surki mortar	S.ft.	0 2 0	25	
2	Dismantling the cracked masonry body wall	C.ft.	0 0 6	45	
3	Benching rock below old body wall for foundation 6" deep	S.ft.	0 8 0	30	
4	Burnt size stone in surki mortar	C.ft.	0 5 0	60	
5	Burnt size stone in surki mortar skin wall in front of body-wall	C.ft.	0 5 0	169	
6	Stone jelly concrete in surki mortar	C.ft.	0 4 0	291	
7	Plastering with surki mortar	Sqr.	4 0 0	2·73	
8	Cement pointing to front of skin wall	,,	4 0 0	2·25	
9	New stone work for apron	C.yds.	1 12 0	16	
10	Excavating foundation for skin wall	L. S.	Rs.		
11	Old stone work	,,	,,		
	Total for Right Weir rupees				

Notice dated 7th November 1937.

Sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 12 NOON on 6th December 1937, for restoring Kendanahalli Hirenayakankere, Register No. 430—453 of Chintamani Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Kolar Division, should be addressed to the Executive Engineer, Kolar Division, in a sealed cover and superscribed as "Tender for restoring Kendanahalli Hirenayakankere." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by Treasury challan for a earnest money of Rs. 325 paid to the treasury to the credit of 17 (*a*) Public Works Deposit against the account of the Executive Engineer, Kolar Division. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 6th December 1937 at Kolar. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental Schedule Contract Form, for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay specifications (1931), furnishing a security deposit of Rs. 650.

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force, will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Kolar Division, on all working days, between 11 A.M. and 5 P.M.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power of attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer, on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions, or additions at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of December 1938, failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 5 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the Departmental Officers will however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery, that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(A) The contractor should at his own cost :—

(1) Provide rods, stakes, ropes and labour required in setting out the works.
(2) Provide all necessary scaffolding, centering labour and appliances for hoisting.
(3) Provide mortar mills and sheds to keep materials under cover and also for workmen.
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.
(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus, including necessary leading drains, slump pits, etc.
(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract and give such persons the use of ordinary scaffolding and ladders.

(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by Insurance at the proper time.

Note.—(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Abstract estimate for Restoring Kendanahalli Hirenayakankere Register No. 430—453 of Chintamani Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. s.
	I. Bund R. L. 57·00 top width 4½′ and side slopes 1½ : 1 and 2 : 1.				
1	Jungle clearing	Grades	3 0 0	28	
2	Removing ant hills and filling them with gravel and sand	No.	0 8 0	25	
3	Cutting grips, trenches for the receipt of new earth	Grade	2 0 0	28	
4	Earthwork to bund with watering, tamping, consolidating, etc., complete	C.yds.	0 3 6	7,373	
4	(*a*) Conveyance charges for the earth available from draft clearing at weir	,,	0 1 0	3,184	
5	Turfing the slopes front and rear	S.yds.	0 0 9	5,872	
6	Removing and resetting old stone revetment with jelly backing and wedging	C.yds.	0 8 0	385	
7	New stone revetment to R. L. 55·00 ..	C.yd.	1 8 0	1,014	
8	Providing and fixing new grade stones including cutting figures, painting, etc., complete ..	No.	1 12 0	28	
9	Do Index stones do ..	Each	0 6 0	28	
10	Do B. M. stones	,,	2 8 0	2	
11	Do Register No. and date stone ..	,,	3 0 0	1	
12	Do Gauge stone 10′ long ..	,,	15 0 0	1	
	Total Rupees for bund				..
	II. Constructing a masonry C. I. pipe Sluice 6″ dia. at R. L. 47·00.				
1	Earthwork cut opening the bund and refilling the same with watering and tamping, etc., complete	C.yd.	0 5 6	79	
2	Earthwork excavating foundations and filling in the same	,,	0 3 0	9	
3	Stone jelly concrete in surki mortar	C.ft.	0 4 3	227	
4	Superstructure size stone in surki mortar ..	,,	0 5 0	272	
5	Burnt stone slabs 6″ thick and dressed ..	Sq.ft.	0 5 0	89	
6	Pointing with cement mortar	Sq.yd.	4 8 0	3.30	
7	Providing and fixing 6″ dia. C.I. pipes including jointing, etc.	R.ft.	3 0 0	27	
8	Cutting holes in orifice slabs	L. S.	..	..	
9	Providing plug and rod with locking arrangements	,,	..	..	
	Total for sluice Rupees ..				..
	III. Repairs to Sluice No. II.				
	Providing plug and rod for the sluice with locking arrangements	L. S.	Rs.	...	
	IV. Constructing Waste Weir at R. L. 51·50.				
1	Earthwork excavation	C.yds.	0 3 0	201	
2	Stone jelly concrete in surki mortar for foundation	C.ft.	0 4 3	917	

No.	Description of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
3	Size stone in surki mortar with bond slabs ..	C.ft.	0 5 0	1,454	
4	Burnt stone slabs 6" thick dressed	S.ft.	0 5 0	837	
5	Pointing with cement mortar	Sqr.	4 8 0	13.90	
6	New stone revetment and apron with jelly backing and wedging complete	C.yd.	1 12 0	113	
7	Draft clearing	Provided under bund portion.			
8	Stone jelly concrete ramp in rear of body wall with nice surki mortar plastering and cement rendering, etc., complete	100 c.ft.	27 0 0	4.54	
9	Providing joggle joints	Each	0 12 0	28	
10	Do clay ramp in front of body wall ..	L. S.	..	..	
	Total for weir				

R. TIPPAIYA,
Executive Engineer.

MYSORE DIVISION.

Dated 29th October 1937.

Regarding the construction of a Girder Bridge with well curbs foundations, piers and abutments across river Shimsha at Hulagur, 2/55 of Bangalore-Mysore Road, via., Kankanhalli, published on pages 1725-27, *Part* VI *of the* Mysore Gazette, *dated 21st October* 1937.

CORRECTION IN ITEM 2.

2. Erecting cement concrete curbs 1: 2 : 4, 5'–0" external diameter 4'–6" internal and 3" thick, 1½' high each inlcuding necessary reinforcements cast in site including frame work and fixing charges, etc., complete.

Abstract Notification dated 26th October 1937.

The attention of the public is hereby invited to the advertisement on pages 1873 to 1876, Part VI of the *Mysore Gazette*, dated 11th November 1937, calling for tenders for the work of restoration of Erubanahalli Ayyankere, Nagamangala Taluk.

The last date of receipt of tender is 4th December 1937.

B. KRISHNA RAO,
Executive Engineer.

MEDICAL DEPARTMENT

VICTORIA, MINTO AND VANI VILAS HOSPITALS, BANGALORE.

Notice dated 1st November 1937.

Public are hereby informed that the Oliver Type Writer No. 9, belonging to the Vani Vilas Hospital, Bangalore, in good working order with Cover and Base Board will be auctioned in the above Hospital on Monday the 29th November 1937 at 5 P.M. by the undersigned. The intending bidders are requested to be present at the appointed time and the article will be knocked down to the highest bidder who will have to pay the amount on the spot and clear the article, failing which, it will be reauctioned at his risk.

H. N. PALLEGAR,
Secretary.

KRISHNARAJENDRA HOSPITAL, MYSORE.

Abstract Tender Notification

Sealed tenders in quadruplicate, will be receivd by the Medical Officer, Krishnarajendra Hospital, Mysore, at 11 A.M. on Tuesday the 30th November 1937, for the supply of the diet articles, required from 1st January to 31st December 1938 (inclusive).

For other particulars *vide Mysore Gazette*, dated 4th November 1937, Part VI, pages 1823-1826.

D. S. PUTTANNA,
Medical Officer.